Volume 20, Issue 6 (June, 2024), PP. 63-72

Performance Analysis of Speed Control of Induction Motor Using Various Ai Techniques

Vikas Dev Pandey*, V. K. Giri**

Electrical Engineering Department Madan Mohan Malaviya University of Technology Gorakhpur U.P INDIA 273010 Corresponding Author: devvikas2102@gmail.com

Abstract—This paper explores the advanced control of induction motors using artificial intelligence (AI) techniques, focusing on speed regulation through fuzzy logic controller (FLC) and artificial neural network (ANN) methodologies. Utilizing MATLAB Simulink for modeling and simulation, the study meticulously defines induction motor parameters such as nominal power, frequency, voltage, resistances, inductances, inertia, friction factor, and pole pair, to create a comprehensive simulation environment. The primary objective is to evaluate and compare the efficacy of FLC and ANN in controlling the motor speed. The performance of these AI-based control strategies is assessed by setting a reference speed of 1500 RPM and analyzing the rotor speed variations against this benchmark. The simulation results indicate that the ANN approach outperforms the FLC in terms of speed control, demonstrated by minimal settling time and negligible steady-state error. Specifically, ANN achieved a peak overshoot of 0.505%, a steady-state error of 0%, and a settling time of 0.93 seconds, whereas FLC resulted in a peak overshoot of 1.991%, a steady-state error of 0%, and a settling time of 1.8 seconds. This research significantly contributes to the field of electrical engineering by offering insights into the application of AI techniques for enhancing induction motor control systems. It underscores the potential of ANN in achieving superior speed regulation, thereby aiding in the development of more efficient and reliable industrial motor control systems. The findings facilitate informed decision-making regarding the implementation of advanced AIbased control strategies in various industrial applications.

Keywords—Induction motors, speed control, fuzzy logic controller, ANN controller, Pulse Generator

Date of Submission: 08-06-2024 Date of Acceptance: 21-06-2024

Suite of Businession, 60 to 2021

I. INTRODUCTION

The efficient control of induction motors is essential in various industrial and commercial applications, ranging from manufacturing processes to transportation systems. The ability to regulate motor speed accurately and reliably is crucial for ensuring optimal performance, energy efficiency, and operational safety. Traditional methods of motor control, such as voltage-frequency (V/f) control, have long been employed due to their simplicity and cost-effectiveness. However, advancements in artificial intelligence (AI) have paved the way for more sophisticated control techniques that offer enhanced precision and flexibility. [1-5]

Induction motors are widely used in industrial and commercial applications due to their robustness, reliability, and cost-effectiveness. However, precise control of their speed and performance is crucial to enhance efficiency and adapt to varying operational demands. Traditional control methods, such as voltage control, frequency control, and pole changing, have been employed to regulate induction motor speed. While effective to some extent, these methods often fall short in handling complex and nonlinear dynamics, leading to suboptimal performance and energy inefficiencies. [6-10]

In recent years, artificial intelligence (AI) techniques have emerged as promising solutions for advanced motor control. AI-based controllers, artificial neural networks (ANNs), fuzzy logic controllers, and genetic algorithms (GAs), offer superior adaptability, precision, and efficiency in controlling induction motor speed. Fuzzy logic controllers leverage human-like reasoning to handle uncertainties and nonlinearities without the need for precise mathematical models. ANNs, inspired by the human brain, learn from data to model complex relationships and adapt to changing conditions, providing accurate speed control even in the presence of disturbances. Genetic algorithms, which mimic natural evolutionary processes, optimize control parameters through iterative refinement, ensuring optimal motor performance.

The integration of these AI techniques into motor control systems represents a significant advancement over traditional methods. They enable more responsive and adaptive control, leading to improved efficiency, reduced energy consumption, and enhanced operational reliability. This research focuses on the performance analysis and speed control of induction motors using various AI techniques, aiming to identify the most effective

approaches for modern industrial applications. By leveraging the strengths of AI, this study seeks to contribute to the development of more intelligent and efficient motor control systems, addressing the growing demands for high performance and energy-efficient solutions in the industry. [6-10]

II. AI TECHNIQUES FOR SPEED CONTROL OF INDUCTION MOTOR

The emergence of artificial intelligence (AI) techniques has revolutionized the field of motor control, offering opportunities for enhanced performance and adaptability. Fuzzy logic control (FLC) and artificial neural networks (ANN) are two prominent AI-based approaches used in motor control applications. FLC utilizes linguistic variables and fuzzy rules to approximate human-like decision-making, making it suitable for systems with complex or uncertain dynamics. ANN, on the other hand, employs interconnected nodes to perform nonlinear mapping between input and output variables, enabling adaptive learning and improved control performance.

Speed control of induction motors using advanced control techniques like fuzzy logic controllers (FLCs) and artificial neural networks (ANNs) represents a significant leap forward in precision and adaptability. These techniques excel in handling the complexities and nonlinearities inherent in motor control systems.

Fuzzy logic controllers operate on the principles of fuzzy set theory, which mimics human reasoning and decision-making processes. Unlike traditional control methods that require precise mathematical models, FLCs work well with systems that are too complex or ill-defined. They use linguistic variables and a set of rules to handle imprecise inputs, making them highly adaptable to changes in system dynamics. This makes FLCs particularly effective in applications where motor behavior can be unpredictable or where precise modeling is difficult.

The architecture of the human brain served as the model for artificial neural networks, learn from data to model and control the motor's speed. ANNs consist of interconnected neurons that process inputs and adjust to improve performance through training. They excel at identifying patterns and relationships in complex data, allowing for accurate speed predictions and adjustments even in the presence of disturbances and nonlinearities. ANNs can adapt to changing conditions and improve over time, offering a level of flexibility and performance that traditional methods cannot match.

Both FLCs and ANNs provide robust solutions for induction motor speed control. FLCs offer adaptability and robustness without needing precise models, while ANNs bring the power of learning and adaptability to handle complex control tasks. These advanced techniques enable more efficient and precise control of motor speeds, meeting the increasing demands for performance and reliability in modern industrial applications. [11-15]

[1] Fuzzy logic controller (FLC)

FLC has gained popularity in motor control due to its ability to handle nonlinearities and uncertainties inherent in induction motor systems. By encoding expert knowledge into fuzzy rules and membership functions, FLC can effectively regulate motor speed and torque under varying operating conditions. However, the design and tuning of fuzzy logic systems may require extensive expertise and manual intervention, limiting their scalability and applicability in certain scenarios.

Controlling the speed of an induction motor using a fuzzy logic controller (FLC) is a highly effective approach, especially in situations where traditional control methods fall short. Fuzzy logic controllers leverage the principles of fuzzy set theory to handle the uncertainties and nonlinearities typical in motor control systems.

One of the main advantages of using an FLC is its ability to mimic human reasoning. Instead of relying on precise mathematical models, FLCs utilize a set of linguistic rules and membership functions to interpret and respond to varying inputs. This makes them particularly useful in applications where the motor's behavior is too complex to be captured accurately by conventional models. The controller adjusts the motor speed based on fuzzy logic, which allows for smooth and adaptive control even in the presence of system uncertainties.

The design of an FLC involves defining a set of rules that describe how to control the motor speed under different conditions. These rules are based on expert knowledge or empirical data and can be easily modified to improve performance. For instance, if the motor is running too fast, the FLC can adjust the input voltage or frequency to bring the speed back to the desired level. The fuzzy logic figure is shown in figure 1. [16-20]




Figure 1: Block diagram fuzzy logic controller with DC motor

[2] Artificial neural network


ANNs offer a data-driven approach to motor control, leveraging their ability to learn complex mappings from input-output data. Through training algorithms such as backpropagation, ANNs can adaptively adjust their parameters to improve control performance over time. ANN-based controllers have demonstrated promising results in achieving precise speed regulation and torque control, particularly in applications with nonlinear or time-varying dynamics. However, the computational complexity and training requirements of ANNs may pose challenges in real-time implementation and deployment.

The basic building block of an artificial neural network (ANN) is a neuron, which is a simple function that helps to replicate the structure and operations of neural networks. ANNs are computer models that aim to provide simple approximations to certain areas of real brains. As seen in Fig., a model is composed of three groups of principles: activation, summation, and multiplication. ANN is made up of parts that are linked together to carry out a particular function. Every input in an ANN is multiplied by its weight at startup. A summation function gathers all of the weighted inputs and bias in the second step. In the end, the transfer function is exceeded by all weighted inputs and bias. Neuronal output is obtained by transforming the activation level using the activation function. Be aware that every input could be an external source or the result of another neuron.

An innovative method that makes use of machine learning to produce accurate and adaptive motor performance is the use of an artificial neural network (ANN) controller for induction motor speed regulation. ANNs are inspired by the human brain's structure and function, consisting of interconnected neurons that process inputs and learn from data. This learning capability makes ANNs particularly effective in handling complex and nonlinear control tasks.

One of the key advantages of using an ANN for motor speed control is its ability to learn and adapt. During the training phase, the ANN is exposed to various operational scenarios and learns to recognize patterns and relationships between input variables (such as voltage and load) and the desired motor speed. Once trained, the ANN can predict and adjust the motor speed accurately, even in the presence of disturbances or changes in operating conditions.

The adaptability of ANNs allows them to provide high performance under a wide range of conditions. Unlike traditional control methods, which may require extensive tuning and precise modeling, ANNs can handle variations in motor parameters and external influences dynamically. This makes them particularly useful in industrial applications where conditions can change rapidly and unpredictably. The Multilayer perceptron feed forward construction figure is shown in figure 2. [21-25]



Figurer 2: Multilayer perceptron feed forward construction

III. METHODOLOGY

The study evaluates three speed control methods for Induction motors:

1. Without Controller

In this case the DC Motor operates without any controller, and we noticed the system response. The parameters values shown in table 1 and Induction motor without controller Simulink figure is shown in figure 3.

Table 1: Parameters value without controller

Peak overshoot (%)	0
Steady state error (%)	3.2
Settling time (sec)	0.26




Figure 3: Induction motor without controller Simulink model

2. With Controller

a) With Fuzzy Logic Controller (FLC)

The FLC utilizes linguistic rules to adjust the power supplied to the motor based on input variables such as error and change in error. The controller parameters are defined based on expert knowledge and system dynamics.

- I. The per implement a fuzzy logic controller with inputs as error and change in error.
- II. Utilize 7 Gaussian membership functions for each input and 7 triangular functions for the output.
- III. Set the range for input membership functions to (-1, 1) and output range to (0, 5).
- IV. Establish 49 rules based on IF-THEN mechanism for the fuzzy logic controller.

Achieve the system response with parameter values when using fuzzy shown in table 2 and block diagram fuzzy logic controller with Induction motor is shown in figure 4.

Table 2: Parameters value with Fuzzy logic controller

Peak overshoot (%)	1.991
Steady state error (%)	0
Settling time (sec)	1.8

Performance of each method is assessed through simulation and experimentation. In this Fuzzy system there are four main blocks are integrated, Fuzzification module converted crisp value (e.g. 1500 RPM) into Fuzzy value (e.g. High or low speed). The Rule base define how to adjust the power supplied to dc motor based on fuzzy input. The rule might consider factor like current speed, desired speed and rate of change of speed suppose if actual motor speed is low and desired speed is high then rule based system increase power. Interference engine. The interference engine facilitates the adjustment of the power supplied to the Induction Motor based on the interpreted rules. Defuzzification provide clear decision (crisp value).it convert the fuzzy output (adjusted power level) into actionable command for precise speed control. [26-43]




Figure 4: block diagram fuzzy logic controller with Induction motor

Steps for designing fuzzy logic rules

Step 1: Decide input and output

Input 1: Error (E)

Input 2: Change in Error (CE)
Output: Voltage (Speed)

Step 2. Assigned Fuzziness to Input & Output

Input 1: Error (E) [NB, NM, NS, ZE, PS, PM, PB]

Input 2: Change in Error (CE) [NB, NM, NS, ZE, PS, PM, PB]

Output 1: speed (Voltage) [NB, NM, NS, ZE, PS, PM, PB]

Step 3. Decides Rules 49 rules are decided that are shown in table 2.

Step 4. Set Crisp value for Input & Output.

In this case for both Input the range is (-1 to 1) and for Output (0 to 5), this value of range is selected because it gives better result as compared to other values. It is essential to check the result by taking different values of input and output. But in my case this value is best suitable.




Figure 5: Input membership function plot




Figure 6: Output membership function plot

The Input membership function plot is shown in figure 5 and the Output membership function plot is shown in figure 6. The Fuzzy rules are shown in table 3 and induction motor parameters are shown in table 4. The Simulink diagram fuzzy logic controller with Induction motor is shown in figure 7.

Table 3: Fuzzy Logic rules

Е	CE	NB	NM	NS	ZE	PS	PM	PB
N	ΙB	NB	NB	NB	NB	NM	NS	ZE
N	M	NB	NB	NB	NM	NS	ZE	PS
N	NS.	NB	NB	NM	NS	ZE	PS	PM
7	Έ	NB	NM	NS	ZE	PS	PM	PB
F	PS	NM	NS	ZE	PS	PM	PB	PB
P	M	NS	ZE	PS	PM	PB	PB	PB
P	PB	ZE	PS	PM	PB	PB	PB	PB

Table 4: Specification of the Induction motor

Nominal power(P)	3730 watts
frequency(f)	50 hz
Voltage (V)	460 volts
Stator resistance (Rs)	1.115 ohm
Stator inductance (Ls)	0.005974 Henery
Rotor resistance (Rr)	1.083 ohms
Rotor inductance (Lr)	0.005974 Henery
Mutual inductance (Lm)	0.2037 Henery
Inertia(J)	0.02 Kg.m2
Friction factor (F)	0.005974 N.m.s
Pole pair(p)	2




Figure 7: Simulink diagram fuzzy logic controller with Induction motor

b) With Artificial neural network

The simulation models are augmented with control strategies, including voltage-frequency (V/f) control, fuzzy logic controller (FLC), and artificial neural network (ANN) techniques. V/f control is implemented to maintain a constant ratio of voltage to frequency supplied to the motor, serving as a baseline control strategy. FLC and ANN techniques are integrated into the simulation models to explore the potential benefits of AI-based control approaches in improving speed regulation and torque control.

In contrast, the artificial neural network (ANN)-based control strategy exhibits superior performance in speed regulation compared to FLC. The ANN adapts dynamically to changes in motor dynamics and load conditions, resulting in shorter settling time and reduced peak overshoot. By leveraging the learning capabilities of neural networks, the ANN optimizes its control parameters through training algorithms such as backpropagation, thereby enhancing its accuracy and robustness. However, the computational complexity and training requirements of ANN-based controllers may pose challenges in real-time implementation and deployment. The Simulink representation of induction motor with ANN is shown in figure 8.




Figure 8: Simulink representation of induction motor with ANN

IV. Results and Discussions

As we can see with implementation of Artificial intelligence techniques, we obtained the desired condition but ANN gives best result as compare to Fuzzy logic controller in terms of settling time. Comparative analysis between FLC and ANN highlighted the trade-offs between simplicity and complexity, interpretability and adaptability. While FLC offers transparency and ease of implementation, ANN excels in handling complex nonlinear mappings and adaptive learning.

Peak overshoot indicates how much the motor speed exceeds the desired setpoint during transient states. For the induction motor without any controller, the peak overshoot is 0%. This initially suggests stability but is misleading as it fails to address the underlying inefficiencies reflected in other parameters.

The test results are shown in table 5 and Induction motor without any controller result figure shown in figure 10 and Induction motor with ANN controller result shown in figure 11.

Table 5: Results

Parameter	IM without any controller	IM with Fuzzy	IM with ANN
Peak overshoot (%)	0	1.991	0.505
Steady state error (%)	3.2	0	0
Settling time (sec)	0.26	1.8	0.93




Figure 9: Induction motor without any controller result




Figure 10: Induction motor with fuzzy controller result




Figure 11: Induction motor with ANN controller result

As we can see with implementation of Artificial intelligence techniques, we obtained the desired condition but ANN gives best result as compare to Fuzzy logic controller in terms of settling time. Comparative analysis between FLC and ANN highlighted the trade-offs between simplicity and complexity, interpretability and adaptability. While FLC offers transparency and ease of implementation, ANN excels in handling complex nonlinear mappings and adaptive learning.

V. Conclusion

1. Peak Overshoot

- a) The fuzzy logic controller (FLC) results in a peak overshoot of 1.991%. This trade-off allows for finer control of the motor's dynamics, leading to better performance in steady-state and error reduction. The slight overshoot signifies a quick response with minor excess before stabilization.
- b) The artificial neural network (ANN) controller shows a significantly lower peak overshoot of 0.505%. This indicates the ANN's superior ability to handle transient states and adapt quickly to changes without substantial deviation from the setpoint, effectively mitigating the initial surge in motor speed.

2. Steady-State Error

a) Without any controller, the induction motor has a steady-state error of 3.2%, reflecting a considerable deviation from the desired speed and underscoring the system's inadequacy in maintaining target speed autonomously.

b) Both the FLC and ANN completely eliminate the steady-state error, achieving a 0% error rate. This highlights the high precision and reliability of these AI techniques in maintaining the desired motor speed, ensuring exact operation at the set speed.

3. Settling Time

- a) The induction motor without a controller has a settling time of 0.26 seconds. However, this seemingly short time is deceptive due to the significant steady-state error.
- b) The FLC increases the settling time to 1.8 seconds. Although longer, this time reflects the controller's effort to minimize steady-state error and accurately manage transient responses, prioritizing stability and precision over quick stabilization.
- c) The ANN controller achieves a settling time of 0.93 seconds, which, while longer than the uncontrolled motor, is considerably shorter than the FLC. This balance indicates that the ANN provides a more rapid response than the FLC while still maintaining accuracy and eliminating steady-state error.

The performance analysis highlights the significant advantages of using AI techniques for induction motor speed control. Both fuzzy logic controllers and artificial neural networks outperform traditional control methods by effectively managing nonlinearities and dynamic changes, thereby enhancing motor performance.

The fuzzy logic controller, with its zero steady-state error and comprehensive handling of dynamic changes, is best suited for scenarios demanding high precision and stability. On the other hand, the artificial neural network controller offers a well-rounded performance with minimal peak overshoot and quick stabilization, making it ideal for applications requiring both rapid response and accuracy.

REFERENCES

- [1]. Boldea, I., & Nasar, S. A. (2013). Electric drives. CRC Press.
- Hossain, M. A., & Jamaluddin, M. H. (2016). Fuzzy logic control of induction motor speed using LabVIEW. Procedia Computer Science, 105, 79-84.
- [3]. Khandelwal, D., & Bhalja, B. R. (2018). Speed control of induction motor using artificial neural network and fuzzy logic controller. In 2018 International Conference on Communication, Computing and Internet of Things (IC3IoT) (pp. 1-5). IEEE.
- [4]. Kulkarni, A., & Deshpande, A. (2014). Application of fuzzy logic control for speed control of induction motor. In 2014 International Conference on Control, Instrumentation, Communication and Computational Technologies (ICCICCT) (pp. 819-822). IEEE.
- [5]. Lipo, T. A. (2018). Introduction to AC machine design. University of Wisconsin-Madison.
- [6]. Mohan, N., Underland, T. M., & Robbins, W. P. (2003). Power electronics: converters, applications, and design. John Wiley & Sons.
- [7]. Sayed, M. H., & Refaie, A. H. (2017). Artificial neural network based speed control of induction motor using LabVIEW. In 2017 International Conference on Computing, Communication, Control and Automation (ICCUBEA) (pp. 1-4). IEEE.
- [8]. Xu, J. X., & Rizzoni, G. (2016). Electric and hybrid vehicles: Design fundamentals. CRC Press.
- [9]. Zadeh, L. A. (1973). Outline of a new approach to the analysis of complex systems and decision processes. IEEE Transactions on Systems, Man, and Cybernetics, (1), 28-44.
- [10]. Zhang, W., Wang, L., & Liu, Q. (2015). Speed control of induction motor based on fuzzy-PID controller. In 2015 IEEE International Conference on Cyber Technology in Automation, Control, and Intelligent Systems (CYBER) (pp. 1801-1804). IEEE.
- [11]. Krishnan, R. (2015). Electric motor drives: Modeling, analysis, and control. Prentice Hall.
- [12]. Nasiri, A., & Yarahmadi, H. (2016). Performance analysis of induction motor drives using different control strategies. In 2016 6th International Conference on Power Engineering, Energy and Electrical Drives (POWERENG) (pp. 290-295). IEEE.
- [13]. Patel, V. J., & Patel, V. M. (2016). Speed control of induction motor using artificial neural network. In 2016 International Conference on ICT in Business Industry & Government (ICTBIG) (pp. 1-5). IEEE.
- [14]. Prasanna, M., Mahapatra, K. K., & Panda, S. K. (2018). Speed control of induction motor using artificial neural network optimized with particle swarm optimization. In 2018 International Conference on Intelligent Sustainable Systems (ICISS) (pp. 155-160). IEEE.
- [15]. Rahman, M. A., & Rahman, M. M. (2016). Speed control of induction motor using fuzzy logic controller. In 2016 International Conference on Electrical, Computer and Communication Engineering (ECCE) (pp. 1-6). IEEE.
- [16]. Sevugaperumal, T., & Gnanambal, R. (2017). Speed control of induction motor using fuzzy logic controller. In 2017 International Conference on Innovations in Green Energy and Healthcare Technologies (IGEHT) (pp. 1-6). IEEE.
- [17]. Vafakhah, M., Abapour, M., & Razavi, F. (2018). Speed control of induction motor using fuzzy logic controller. In 2018 9th Power Electronics, Drive Systems & Technologies Conference (PEDSTC) (pp. 306-311). IEEE.
- [18]. Velayutham, T., & Dhinesh, D. (2015). Speed control of induction motor using fuzzy logic controller. In 2015 International Conference on Advanced Computing and Communication Systems (ICACCS) (pp. 1-5). IEEE.
- [19]. Yoon, S. W., & Park, J. K. (2015). Speed control of induction motor using fuzzy logic controller. In 2015 International Conference on Electrical, Electronics, and Optimization Techniques (ICEEOT) (pp. 1375-1380). IEEE.
- [20]. Zhang, Y., & Tian, L. (2018). Application of fuzzy PID controller in induction motor speed control. In 2018 13th IEEE Conference on Industrial Electronics and Applications (ICIEA) (pp. 250-254). IEEE.
- [21]. Ayman, A. G., & Mustafa, H. M. (2019). Hybrid ANN and FLC for speed control of induction motor. IEEE Transactions on Industry Applications, 55(1), 418-425.
- [22]. Bose, B. K. (2017). Power electronics and motor drives: Advances and trends. Elsevier.
- [23]. Chen, Y., & Li, X. (2018). Enhanced ANN-based control for induction motor drives. In 2018 IEEE International Conference on Industrial Technology (ICIT) (pp. 1234-1239). IEEE.
- [24]. Faa-Jeng, L., & Yuan-Kang, C. (2017). Adaptive neuro-fuzzy inference system (ANFIS) based speed control of an induction motor. IEEE Transactions on Industrial Electronics, 64(4), 2628-2638.
- [25]. Gopal, M., & Mahapatra, S. (2018). Intelligent control of induction motor using ANN and FLC. In 2018 IEEE International Conference on Power Electronics, Drives and Energy Systems (PEDES) (pp. 1-6). IEEE.

- [26]. Hansen, J. P., & Nielsen, P. R. (2019). Neuro-fuzzy control of induction motors. IEEE Transactions on Energy Conversion, 34(2), 764-773.
- [27]. Ibrahim, M. A., & Ahmed, S. (2018). Comparative analysis of AI techniques for induction motor speed control. In 2018 IEEE International Conference on Electrical and Electronic Engineering (ICEEE) (pp. 234-239). IEEE.
- [28]. James, R., & Suresh, V. (2017). ANFIS-based speed control of induction motor using LabVIEW. In 2017 International Conference on Intelligent Computing and Control Systems (ICICCS) (pp. 121-126). IEEE.
- [29]. Kumari, M., & Sharma, R. (2018). ANN and FLC based speed control of induction motor. In 2018 International Conference on Computational Intelligence and Data Science (ICCIDS) (pp. 1-6). IEEE.
- [30]. Liu, Z., & Zhao, Y. (2017). Enhanced speed control of induction motors using fuzzy logic and neural networks. IEEE Transactions on Power Electronics, 32(2), 1272-1280.
- [31]. Mitra, P., & Bandyopadhyay, S. (2019). Real-time implementation of ANN and FLC for induction motor speed control. In 2019 IEEE International Conference on Industrial Electronics and Applications (ICIEA) (pp. 654-659). IEEE.
- [32]. Nour, M., & Omar, A. (2018). Optimized FLC for speed control of induction motor using PSO. IEEE Transactions on Industrial Informatics, 14(6), 2465-2473.
- [33]. Pandey, R. K., & Kumar, S. (2019). Comparative study of FLC and ANN based speed control of induction motor. In 2019 International Conference on Power, Control and Embedded Systems (ICPCES) (pp. 134-139). IEEE.
- [34]. Rajasekaran, M., & Sivaraman, S. (2018). Speed control of induction motor using hybrid ANN and fuzzy logic. In 2018 IEEE International Conference on Power Electronics, Drives and Energy Systems (PEDES) (pp. 1-6). IEEE.
- [35]. Singh, B., & Sharma, S. (2018). Performance evaluation of ANN and FLC for induction motor control. In 2018 IEEE International Conference on Computing, Power and Communication Technologies (GUCON) (pp. 1-6). IEEE.
- [36]. Tian, Y., & Zhang, J. (2019). Neuro-fuzzy based speed control of induction motor. IEEE Transactions on Fuzzy Systems, 27(5), 929-938.
- [37]. Uddin, M. N., & Hossain, M. A. (2018). Adaptive neuro-fuzzy control of induction motor. IEEE Transactions on Industrial Informatics, 14(8), 3267-3277.
- [38]. Verma, R., & Choudhury, A. (2018). Comparative study of fuzzy and ANN based controllers for induction motor. In 2018 International Conference on Control, Automation and Robotics (ICCAR) (pp. 181-186). IEEE.
- [39]. Zhang, W., & Li, X. (2019). Advanced fuzzy logic and ANN based control for induction motor. IEEE Transactions on Industrial Electronics, 66(7), 5674-5683.
- [40]. Lee, T. H., & Lim, J. W. (2017). Fuzzy and neural network control of induction motor drives: A review. IEEE Transactions on Industry Applications, 53(5), 4805-4814.
- [41]. Chen, G., & Wang, S. (2019). Hybrid AI control of induction motors: A comparative study. IEEE Transactions on Industrial Electronics, 66(8), 6124-6132.
- [42]. Park, J., & Kim, Y. (2018). Neuro-fuzzy logic control for efficient induction motor speed regulation. IEEE Transactions on Energy Conversion, 33(3), 1324-1332.
- [43]. Liu, H., & Zhao, J. (2017). Intelligent control techniques for induction motor drives: A review. IEEE Transactions on Power Electronics, 32(12), 9181-9190.